

# Faribault and Martin Counties Public Health Data Tables

## Topics and Scope

The following tables present health data in the topic areas of Mental Health, Substance Abuse, Dental Health, Health Care Access, Chronic Diseases, Overweight and Obesity, Physical Inactivity, Nutrition, Safety and Violence, Environment, Sexual Health, and Birth Outcomes. All data presented is from 2016, unless otherwise noted. Data presented here are publicly available indicators that can be tracked over time.










## Data Sources

The data presented on pages 2-18 come from a variety of sources, including the Minnesota Department of Health and the United States Census Bureau. A complete list of data sources is available on page 19 of this document. Within the data tables on pages 2-18, each data indicator is labeled with a number that corresponds with the data source listed on page 19.

## Comparison data

When available, each Indicator includes a comparison to the past, and to the statewide or regional rates. As shown in the Data Key below, a green rating means that the Counties are doing better than the State, region, or than they have done in the past. The more green dots, the better they are performing in comparison to the State, region, or past. On the other hand, the more red dots, the worse they are performing in comparison to the State, region, or past. The estimated population impacted includes an estimate of the number of people impacted annually.













## Data Key

Symbol	Key
	Within 2% of past, state or regional rates
	2% to 9% difference that is <u>favorable</u> compared to the past, state or region
	10 to 49% <u>favorable</u> difference
	50% to 99% <u>favorable</u> difference
	Over 100% <u>favorable</u> difference
	2% to 9% difference that is <u>unfavorable</u> compared to the past, state or region
	10 to 49% <u>unfavorable</u> difference
	50% to 99% <u>unfavorable</u> difference
	Over 100% <u>unfavorable</u> difference

## Mental Health

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>13.2</b>	Percent of 9th graders who hurt themselves on purpose (cutting, burns, bruises) during the last 12 months <sup>1</sup>	● ●	● ●	58
FM	<b>15.0</b>	Percent of 11th graders who hurt themselves on purpose (cutting, burns, bruises) during the last 12 months <sup>1</sup>	●	●	66
FM	<b>12.7</b>	Percent of 9th graders who seriously considered attempting suicide during the last year <sup>1</sup>	●	● ●	56
FM	<b>12.8</b>	Percent of 11th graders who seriously considered attempting suicide during the last year <sup>1</sup>	●	● ●	56
FM	<b>3.6</b>	Percent of 9th graders who attempted suicide during the last year <sup>1</sup>	●	●	16
FM	<b>5.6</b>	Percent of 11th graders who attempted suicide during the last year <sup>1</sup>	● ● ●	● ●	25
Faribault	<b>1.5</b>	Suicide rate per 10,000 residents <sup>2</sup>	●	-	2
Martin	<b>1.0</b>		●	-	2









## Mental Health

County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>29.9</b>	Percent of adults diagnosed with any mental health problems <sup>3</sup>		3,398
Martin	<b>28.9</b>			4,755
Faribault	<b>28.2</b>	Percent of adults that experienced feelings of hopelessness, anxiety or loss of interest in things they used to enjoy it in the past 12 months <sup>3</sup>		3,205
Martin	<b>24.1</b>			3,958
Faribault	<b>23.7</b>	Percent of adults diagnosed with depression <sup>3</sup>		2,700
Martin	<b>18.2</b>			2,989
Faribault	<b>19.1</b>	Percent of adults diagnosed with anxiety or panic attacks <sup>3</sup>		2,171
Martin	<b>19.5</b>			3,203
Faribault	<b>6.8</b>	Percent of adults diagnosed with other mental health problems <sup>3</sup>		773
Martin	<b>6.6</b>			1,084
Faribault	<b>2.3</b>	Percent of adults that seriously considered killing themselves in the past year <sup>3</sup>		262
Martin	<b>0.5</b>			82

## Substance Abuse: Alcohol

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>21.4</b>	Percent of 9th graders who used alcohol one or more times in the last 12 months <sup>1</sup>	●	● ●	94
FM	<b>48.2</b>	Percent of 11th graders who used alcohol one or more times in the last 12 months <sup>1</sup>	● ●	●	213
FM	<b>12.5</b>	Percent of 9th graders who used alcohol on one or more days in the last 30 days <sup>1</sup>	● ●	● ●	55
FM	<b>28.7</b>	Percent of 11th graders who used alcohol on one or more days in the last 30 days <sup>1</sup>	● ●	●	127
Faribault	<b>53.7</b>	DWI rate per 10,000 residents by county of residence, 2017 <sup>4</sup>	● ●	● ●	74
Martin	<b>42.3</b>		●	● ●	84
Faribault	<b>48.6</b>	DWI rate per 10,000 residents by county of arrest, 2017 <sup>4</sup>	●	●	67
Martin	<b>37.8</b>		● ●	●	75
FM	<b>6.0</b>	Percent of 9th graders who engaged in binge drinking in the past 30 days <sup>1</sup>	● ●	● ●	26
FM	<b>14.9</b>	Percent of 11th graders who engaged in binge drinking in the past 30 days <sup>1</sup>	● ●	● ●	66
FM	<b>0.9</b>	Percent of 9th graders who used alcohol 20 or more times in the last 12 months <sup>1</sup>	● ●	● ● ●	4
FM	<b>6.7</b>	Percent of 11th graders who used alcohol 20 or more times in the last 12 months <sup>1</sup>	● ●	● ●	30
FM	<b>1.4</b>	Percent of 9th graders who drove a motor vehicle after using alcohol or other drugs one or more times in the last 12 months <sup>1</sup>	●	● ●	6
FM	<b>9.5</b>	Percent of 11th graders who drove a motor vehicle after using alcohol or other drugs one or more times in the last 12 months <sup>1</sup>	● ●	● ●	42
Faribault	<b>8.9</b>	Percent of motor vehicle crashes that are alcohol related (BAC 0.01 or higher) <sup>4</sup>	● ● ●	● ●	-
Martin	<b>7.0</b>		● ●	● ●	

## Substance Abuse: Alcohol

County		Indicator and data source	Compared to Region	Population impacted
Faribault	<b>29.4</b>	Percent of adults that participated in binge drinking in the past 30 days <sup>3</sup>		3,341
Martin	<b>22.1</b>			3,624
Faribault	<b>13.2</b>	Percent of adults that were heavy drinkers in the past 30 days <sup>3</sup>		1,505
Martin	<b>7.7</b>			1,267
Faribault	<b>7.9</b>	Percent of adults that drove home after having too much to drink in the past 12 months <sup>3</sup>		901
Martin	<b>1.9</b>			314
Faribault	<b>6.8</b>	Percent of adults that rode with someone who drove after having too much to drink in the past 12 months <sup>3</sup>		772
Martin	<b>1.9</b>			304

## Substance Abuse: Drugs

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>11.9</b>	Percent of 9th graders who used <u>marijuana</u> on one or more days in the last 12 months <sup>1</sup>	● ●	●	52
FM	<b>21.9</b>	Percent of 11th graders who used <u>marijuana</u> on one or more days in the last 12 months <sup>1</sup>	●	● ●	97
FM	<b>7.3</b>	Percent of 9th graders who used <u>marijuana</u> on one or more days in the last 30 days <sup>1</sup>	●	● ●	32
FM	<b>15.6</b>	Percent of 11th graders who used <u>marijuana</u> on one or more days in the last 30 days <sup>1</sup>	●	● ●	69
FM	<b>4.2</b>	Percent of 9th graders who used <u>prescription pain relievers</u> to get high one or more times in the last 12 months <sup>1</sup>	● ●	● ●	19
FM	<b>6.3</b>	Percent of 11th graders who used <u>prescription pain relievers</u> to get high one or more times in the last 12 months <sup>1</sup>	● ●	● ●	28
FM	<b>4.2</b>	Percent of 9th graders who used <u>ADHD or ADD pills</u> like Ritalin to get high one or more times in the last 12 months <sup>1</sup>	● ● ●	● ●	19
FM	<b>5.3</b>	Percent of 11th graders who used <u>ADHD or ADD pills</u> like Ritalin to get high one or more times in the last 12 months <sup>1</sup>	●	● ●	23
FM	<b>1.8</b>	Percent of 9th graders who used <u>LSD</u> or other psychedelics one or more times in the last 12 months <sup>1</sup>	● ●	● ● ●	8
FM	<b>3.7</b>	Percent of 11th graders who used <u>LSD</u> or other psychedelics one or more times in the last 12 months <sup>1</sup>	● ●	● ●	16
FM	<b>1.9</b>	Percent of 9th graders who used <u>tranquilizers, sedatives or barbiturates</u> to get high one or more times in the last 12 months <sup>1</sup>	● ●	●	8
FM	<b>3.7</b>	Percent of 11th graders who used <u>tranquilizers, sedatives or barbiturates</u> to get high one or more times in the last 12 months <sup>1</sup>	● ●	● ●	16

## Substance Abuse: Drugs

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>2.3</b>	Percent of 9th graders who used <u>inhalants</u> one or more times in the last 12 months <sup>1</sup>	● ●	● ●	10
FM	<b>2.1</b>	Percent of 11th graders who used <u>inhalants</u> one or more times in the last 12 months <sup>1</sup>	● ●	● ●	9
FM	<b>0.9</b>	Percent of 9th graders who used <u>stimulants</u> like Benzedrine or diet pills to get high one or more times in the last 12 months <sup>1</sup>	●	● ● ●	4
FM	<b>2.6</b>	Percent of 11th graders who used <u>stimulants</u> like Benzedrine or diet pills to get high one or more times in the last 12 months <sup>1</sup>	● ● ●	● ● ●	11
FM	<b>0.0</b>	Percent of 9th graders who used <u>methamphetamine</u> one or more times in the last 12 months <sup>1</sup>	-	-	-
FM	<b>2.6</b>	Percent of 11th graders who used <u>methamphetamine</u> one or more times in the last 12 months <sup>1</sup>	● ● ● ●	● ●	11
FM	<b>2.6</b>	Percent of 11th graders who used <u>MDMA/ecstasy</u> one or more times in the last 12 months <sup>1</sup>	● ● ●	● ●	11
FM	<b>2.6</b>	Percent of 11th graders who used <u>crack or cocaine</u> one or more times in the last 12 months <sup>1</sup>	● ● ●	● ● ●	11
FM	<b>2.1</b>	Percent of 11th graders who used <u>heroin</u> one or more times in the last 12 months <sup>1</sup>	● ● ● ●	● ● ●	9

County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>5.0</b>	Percent of adults that currently use marijuana <sup>3</sup>	● ●	568
Martin	<b>3.8</b>		● ●	624

## Substance Use: Tobacco

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>4.1</b>	Percent of 9th graders who smoked cigarettes on one or more days in the last 30 days <sup>1</sup>			18
FM	<b>13.5</b>	Percent of 11th graders who smoked cigarettes on one or more days in the last 30 days <sup>1</sup>			60
FM	<b>4.1</b>	Percent of 9th graders who used chewing tobacco, snuff or dip on one or more days in the last 30 days <sup>1</sup>			18
FM	<b>5.7</b>	Percent of 11th graders who used chewing tobacco, snuff or dip on one or more days in the last 30 days <sup>1</sup>			25

County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>22.9</b>	Percent of adults that currently use tobacco (including cigarettes, cigar, pipes, smokeless tobacco and e-cigarettes) <sup>3</sup>		2,604
Martin	<b>11.3</b>			1,856
FM	<b>51.1</b>	Percent of smokers than have attempted to quit smoking for at least one day in the past year <sup>3</sup>		2,279
Faribault	<b>8.6</b>	Percent of adults that live in a home where someone smokes tobacco regularly inside the home <sup>3</sup>		978
Martin	<b>5.5</b>			903
Faribault	<b>4.1</b>	Percent of adults that use e-cigarettes <sup>3</sup>		466
Martin	<b>1.7</b>			279























## Dental

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
Faribault	<b>70.5</b>	Percent of Minnesota Health Care Programs enrollees who do <u>NOT</u> use dental services, 2017 <sup>5</sup>	●	●	3,155
Martin	<b>70.7</b>		●	●	4,285
Faribault	<b>95.1</b>	Percent of children aged 20 and under eligible for Child and Teen Checkups (C&TC) that do <u>NOT</u> use dental sealant services, 2015 <sup>5</sup>	●	●	1,741
Martin	<b>93.6</b>		●	●	2,147
Faribault	<b>69.7</b>	Percent of children aged 20 and under eligible for C&TC that do <u>NOT</u> use preventive dental services <sup>5</sup>	●	● ●	1,277
Martin	<b>67.9</b>		●	●	1,559
Faribault	<b>66.2</b>	Percent of children aged 20 and under eligible for C&TC that do <u>NOT</u> use dental or oral health services <sup>5</sup>	● ●	● ●	1,213
Martin	<b>64.9</b>		● ●	●	1,489
Faribault	<b>1.5</b>	Rate of oral and pharyngeal cancers per 10,000 residents, 2011 to 2015 <sup>5</sup>	● ●	-	2
Martin	<b>1.4</b>		● ●	-	3















County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>28.6</b>	Percent of adults that did <u>NOT</u> have a dental exam or teeth cleaning within the past year <sup>3</sup>	●	3,252
Martin	<b>27.5</b>		●	4,517
Faribault	<b>24.8</b>	Percent of adults that thought they needed dental care but did <u>NOT</u> get it or delayed getting it in the past 12 months <sup>3</sup>	●	2,823
Martin	<b>18.6</b>		● ●	3,055




















## Health Care Access

County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>47.9</b>	Percent of adults that have <u>NOT</u> had a flu shot within the past year <sup>3</sup>		5,446
Martin	<b>53.0</b>			8,706
Faribault	<b>42.2</b>	Percent of adults that have <u>NOT</u> had an eye exam within the past year <sup>3</sup>		4,798
Martin	<b>37.2</b>			6,111
Faribault	<b>31.7</b>	Percent of adults that have <u>NOT</u> had a general health exam within the past year <sup>3</sup>		3,604
Martin	<b>31.2</b>			5,125
Faribault	<b>28.1</b>	Percent of adults that thought they needed medical care but did <u>NOT</u> get it or delayed getting it in the past 12 months <sup>3</sup>		3,198
Martin	<b>19.2</b>			3,157
Faribault	<b>16.0</b>	Percent of adults that wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts or emotional problems, but did <u>NOT</u> or delayed talking with someone, in the past 12 months <sup>3</sup>		1,820
Martin	<b>14.7</b>			2,415
Faribault	<b>3.9</b>	Percent of adults that currently do <u>NOT</u> have health care coverage <sup>3</sup>		443
Martin	<b>2.8</b>			457









County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
Faribault	<b>5.7</b>	Percent of residents under 65 without insurance, 2016 <sup>6</sup>			613
Martin	<b>5.5</b>				848
Faribault	<b>21.9</b>	Children ages 24-35 months who have <u>NOT</u> received full series DTaP, Polio, MMR, Hib, Hepatitis B, Varicella, and PCV, 2017 <sup>7</sup>			33
Martin	<b>35.0</b>				78

## Chronic Diseases





County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
Faribault	<b>43.7</b>	Rate of cancer per 10,000 residents, 2011-2015 <sup>8</sup>		-	61
Martin	<b>44.5</b>			-	89
Faribault	<b>40.1</b>	Emergency room visits for asthma per 10,000 residents, age-adjusted, 2013-2015 <sup>9</sup>		-	56
Martin	<b>41.6</b>			-	83
Faribault	<b>33.4</b>	Hospitalizations for heart attacks per 10,000 residents, age-adjusted, 2013-2015 <sup>10</sup>	 	-	46
Martin	<b>27.2</b>			-	54
Faribault	<b>16.7</b>	Age-adjusted rate of COPD Hospitalizations aged 25+, 2013-2015 <sup>11</sup>	 	-	23
Martin	<b>20.3</b>		 	-	40
Faribault	<b>4.1</b>	Hospitalizations for asthma per 10,000 residents, age-adjusted, 2013-2015 <sup>9</sup>	 	-	6
Martin	<b>6.1</b>			-	12









County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>33.9</b>	Percent of adults diagnosed with high blood pressure or hypertension <sup>3</sup>	 	3,850
Martin	<b>33.8</b>		 	5,556
Faribault	<b>34.8</b>	Percent of adults diagnosed with high cholesterol or triglycerides <sup>3</sup>	 	3,954
Martin	<b>31.4</b>			5,160
Faribault	<b>12.9</b>	Percent of adults diagnosed with cancer <sup>3</sup>	 	1,469
Martin	<b>10.5</b>		 	1,728
Faribault	<b>11.0</b>	Percent of adults diagnosed with heart trouble or angina <sup>3</sup>	 	1,248
Martin	<b>10.5</b>		 	1,723
Faribault	<b>8.6</b>	Percent of adults diagnosed with diabetes <sup>3</sup>	 	975
Martin	<b>11.1</b>		 	1,829

## Chronic Diseases





County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>11.9</b>	Percent of adults diagnosed with asthma <sup>3</sup>		1,347
Martin	<b>8.2</b>			1,352
Faribault	<b>3.9</b>	Percent of adults diagnosed with chronic lung disease <sup>3</sup>		439
Martin	<b>4.4</b>			721
Faribault	<b>2.7</b>	Percent of adults diagnosed with a stroke or stroke-related health problems <sup>3</sup>		310
Martin	<b>1.7</b>			283
Faribault	<b>2.1</b>	Percent of adults diagnosed with memory loss, Alzheimer's disease, or dementia <sup>3</sup>		244
Martin	<b>2.1</b>			346



## Overweight/ Obesity

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>21.2</b>	Percent of 9th graders who are overweight <u>OR</u> obese according to BMI <sup>1</sup>			93
FM	<b>28.7</b>	Percent of 11th graders who are overweight <u>OR</u> obese according to BMI <sup>1</sup>			127

County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>73.1</b>	Percent of adults that are overweight <u>OR</u> obese according to BMI		8,311
Martin	<b>68.3</b>			11,220
Faribault	<b>39.9</b>	Percent of adults that are obese according to BMI		4,541
Martin	<b>27.8</b>			4,569
Faribault	<b>36.2</b>	Percent of adults that have been told by a health professional that they are overweight <sup>3</sup>		4,112
Martin	<b>26.3</b>			4,327
Faribault	<b>12.2</b>	Percent of adults diagnosed with obesity <sup>3</sup>		1,382
Martin	<b>11.5</b>			1,887

## Physical Inactivity

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>42.1</b>	Percent of 9th graders who were <u>NOT</u> physically active for at least 60 minutes per day on at least 5 of the last 7 days <sup>1</sup>			186
FM	<b>58.4</b>	Percent of 11th graders who were <u>NOT</u> physically active for at least 60 minutes per day on at least 5 of the last 7 days <sup>1</sup>			258

County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>59.8</b>	Percent of adults that do <u>NOT</u> meet guidelines for physical activity (moderate exercise for 30 minutes a day for 5 days a week or vigorous exercise for 30 minutes a day for 3 days a week or both) <sup>3</sup>		6,799
Martin	<b>62.9</b>			10,340

## Nutrition

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>88.5</b>	Percent of 9th graders who did <u>NOT</u> eat the recommended 5 or more servings of fruits, fruit juices or vegetables per day in the last 7 days <sup>1</sup>	●	●	390
FM	<b>90.2</b>	Percent of 11th graders who did <u>NOT</u> eat the recommended 5 or more servings of fruits, fruit juices or vegetables per day in the last 7 days <sup>1</sup>	●	●	398

County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>66.9</b>	Percent of adults that eat a fast food meal at least weekly <sup>3</sup>	●	7,606
Martin	<b>74.1</b>		●	12,172
Faribault	<b>64.5</b>	Percent of adults that did <u>NOT</u> have the recommended minimum of five servings of fruits and vegetables yesterday <sup>3</sup>	● ●	7,333
Martin	<b>62.8</b>		●	10,316
Faribault	<b>35.5</b>	Percent of adults that had at least one glass of regular pop or soda yesterday <sup>3</sup>	●	4,036
Martin	<b>36.1</b>		● ●	5,930
Faribault	<b>9.4</b>	Percent of adults that have used a community food shelf in the past year <sup>3</sup>	● ● ●	1,068
Martin	<b>4.2</b>		● ●	692

## Safety and Violence

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>42.4</b>	Percent of 9th graders who do <u>NOT</u> always wear a seatbelt when riding in the front or back seat of a car <sup>1</sup>	● ● ●	●	187
FM	<b>38.1</b>	Percent of 9th graders who do <u>NOT</u> always wear a seatbelt when riding in the front or back seat of a car <sup>1</sup>	● ●	● ●	168
FM	<b>50.3</b>	Child maltreatment reports per 1,000 children, 2017 <sup>12</sup>	● ● ●	-	370
FM	<b>34.7</b>	Child maltreatment reports for NEGLECT per 1,000 children, 2017 <sup>12</sup>	● ● ●	-	255
FM	<b>21.2</b>	Children in out-of-home Care per 1,000 children, 2017 <sup>13</sup>	● ● ●	-	160
FM	<b>12.2</b>	Percent of 9th graders who report that other students at school pushed, shoved, slapped, hit or kicked them in the last 30 days <sup>1</sup>	● ●	● ●	54
FM	<b>3.1</b>	Percent of 11th graders who report that other students at school pushed, shoved, slapped, hit or kicked them in the last 30 days <sup>1</sup>	● ●	● ● ●	14
FM	<b>11.7</b>	Percent of 9th graders who do <u>NOT</u> report that they feel safe at school <sup>1</sup>	● ●	● ● ●	52
FM	<b>6.1</b>	Percent of 11th graders who do <u>NOT</u> report that they feel safe at school <sup>1</sup>	●	● ●	27

County		Indicator and data source	Compared to Region	Estimated population impacted
Faribault	<b>20.7</b>	Percent of adults that do <u>NOT</u> always wear a seat belt when they drive or ride in a car <sup>3</sup>	● ● ●	2,353
Martin	<b>8.9</b>		● ●	1,462
Faribault	<b>3.5</b>	Percent of adults that, in the past year, have been fearful of someone living in their home by their actions, tone of voice, threats, or destroying property <sup>3</sup>	● ● ● ●	402
Martin	<b>1.4</b>		● ●	237



























## Environment

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
Faribault	2.7	Elevated blood lead levels (>5 mcg/dL) in children under 6 years old, 2017 <sup>14</sup>	●●●●	●●	5
Martin	0.7		●	●●●	2

## Sexual Health

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
FM	<b>33.7</b>	Percent of 11th graders who have ever had sexual intercourse <sup>1</sup>	●	●●	149
FM	<b>40.0</b>	Among sexually active 11th grade students: percent who have <u>NOT</u> talked at least once with every partner about STDs/HIV protection <sup>1</sup>	●	●●	60
FM	<b>39.1</b>	Among sexually active 11th grade students: percent who did <u>NOT</u> use a condom during last intercourse <sup>1</sup>	●	●●	58
FM	<b>38.5</b>	Among sexually active 11th grade students: percent who have <u>NOT</u> talked at least once with every partner about preventing pregnancy <sup>1</sup>	●●	●	57
Faribault	<b>17.9</b>	Rate of Chlamydia per 10,000 residents, 2017 <sup>15</sup>	●●●	●	26
Martin	<b>19.2</b>		●●●	●●	40
Faribault	<b>3.4</b>	Rate of Gonorrhea per 10,000 residents, 2017 <sup>15</sup>	●●●	-	5
Martin	<b>2.4</b>		●●●	-	5

## Birth outcomes

County		Indicator and data source	Compared to State	Compared to Past (2013)	Estimated population impacted
Faribault	<b>27.0</b>	Percent of mothers who did <u>NOT</u> initiate prenatal care in the 1st trimester <sup>16</sup>			44
Martin	<b>11.0</b>				25
Faribault	<b>19.5</b>	Percent of mothers who did <u>NOT</u> have adequate or better prenatal care during their pregnancy, GINDEX <sup>16</sup>			44
Martin	<b>12.6</b>				25
Faribault	<b>20.0</b>	Percent of mothers who smoked during pregnancy <sup>16</sup>			32
Martin	<b>14.4</b>				33
FM	<b>20.8</b>	Teen pregnancy rate per 1,000 females aged 15-19 year, 2014-2016 <sup>16</sup>			20
FM	<b>18.1</b>	Teen birth rate per 1,000 females aged 15-19 years, 2014-2016 <sup>16</sup>			18
Faribault	<b>7.0</b>	Percent of children born premature, less than 37 weeks gestation (singletons) <sup>16</sup>			11
Martin	<b>4.6</b>				10
Faribault	<b>4.5</b>	Percent of children born low birth weight, less than 2,500 grams (singletons) <sup>16</sup>			7
Martin	<b>2.8</b>				6

## No Data: Sleep and Support Systems

## **Data Sources**

1. Minnesota Student Survey, Minnesota Department of Health.  
<https://www.health.state.mn.us/data/mchs/surveys/mss/index.html>
2. Mortality Tables, County Health Tables, Minnesota Center for Health Statistics, Minnesota Department of Health.  
<https://www.health.state.mn.us/data/mchs/genstats/countytables/index.html>
3. Community Health Survey administered in 2016 in partnership with Mayo Clinic Health System, regional County Public Health Agencies, and the Minnesota Department of Health.
4. Data on Consequences of Alcohol Use. Substance Abuse in Minnesota, Requested and Compiled data from the Office of Traffic Safety, Minnesota Department of Public Safety. [www.sumn.org](http://www.sumn.org)
5. Oral Health Data, Minnesota Public Health Data Access. Minnesota Department of Health.  
<https://data.web.health.state.mn.us/web/mndata>
6. Small Area Health Insurance Estimates Program, United States Census Bureau.  
<https://www.census.gov/programs-surveys/sahie.html>
7. Childhood immunizations: facts & figures. Minnesota Department of Health.  
[https://data.web.health.state.mn.us/immunization\\_basic](https://data.web.health.state.mn.us/immunization_basic)
8. Cancer in Minnesota, Minnesota Public Health Data Access. Minnesota Department of Health.  
<https://data.web.health.state.mn.us/web/mndata>
9. Asthma, Minnesota Public Health Data Access. Minnesota Department of Health.  
<https://data.web.health.state.mn.us/web/mndata>
10. Heart Attacks, Minnesota Public Health Data Access. Minnesota Department of Health.  
<https://data.web.health.state.mn.us/web/mndata>
11. Chronic Obstructive Pulmonary Disease, Minnesota Public Health Data Access. Minnesota Department of Health. <https://data.web.health.state.mn.us/web/mndata>
12. Minnesota's Child Maltreatment Report 2017, DHS-5408J. Minnesota Department of Human Services. <https://mn.gov/dhs/partners-and-providers/news-initiatives-reports-workgroups/child-protection-foster-care-adoption/>
13. Minnesota's Out-of-home Care and Permanency Report, 2017, DHS-5408Ja. Minnesota Department of Human Services. <https://mn.gov/dhs/partners-and-providers/news-initiatives-reports-workgroups/child-protection-foster-care-adoption/>
14. Childhood Lead Exposure, Minnesota Public Health Data Access. Minnesota Department of Health. <https://data.web.health.state.mn.us/web/mndata>
15. STD Statistics, Minnesota Department of Health.  
<https://www.health.state.mn.us/diseases/stds/stats/index.html>
16. Natality Tables, County Health Tables, Minnesota Center for Health Statistics, Minnesota Department of Health.  
<https://www.health.state.mn.us/data/mchs/genstats/countytables/index.html>